




A/B TAPER-LOCK SHEAVES



Drawing illustrates how either A or B belts may be used with Dual Duty groove sheaves.

1-Groove					F = **	
O.D.Δ	Part No.	Description	Wt.	Type‡	E	M
3.75	118190	1A3.0B3.4-1210	1.5	A1	.11	.04
3.95	118191	1A3.2B3.6-1210	1.7	A1	.11	.04
4.15	118301	1A3.4B3.8-1610	1.5	A1	.11	.04
4.35	118302	1A3.6B4.0-1610	1.9	A1	.11	.04
4.55	118194	1A3.8B4.2-1610	2.2	A1	.11	.04
4.75	118195	1A4.0B4.4-1610	2.5	A1	.11	.04
4.95	118196	1A4.2B4.6-1610	2.9	A1	.11	.04
5.15	118197	1A4.4B4.8-1610	3.3	A1	.11	.04
5.35	118198	1A4.6B5.0-1610	3.6	A1	.11	.04
5.55	118199	1A4.8B5.2-1610	4.1	A1	.11	.04
5.75	118200	1A5.0B5.4-1610	4.5	A1	.11	.04
5.95	118201	1A5.2B5.6-1610	4.9	A1	0	0
6.15	118202	1A5.4B5.8-1610	5.3	A1	0	0
6.35	118203	1A5.6B6.0-1610	5.8	A1	0	0
6.55	118204	1A5.8B6.2-1610	6.3	A1	0	0
6.75	118205	1A6.0B6.4-1610	6.8	A1	0	0
6.95	118206	1A6.2B6.6-1610	7.5	A1	0	0
7.15	118207	1A6.4B6.8-1610	7.8	A1	0	0
7.35	118340	1A6.6B7.0-2517	8.5	B1	0	.75
7.75	118303	1A7.0B7.4-2517	9.4	B1	0	.75
8.35	118341	1A7.6B8.0-2517	11.0	B1	0	.75
8.95	118304	1A8.2B8.6-2517	12.0	B1	0	.75
9.75	118305	1A9.0B9.4-2517	14.0	B1	0	.75
11.35	118022	1A10.6B11.0-2517	15.0	B1	0	.75
12.75	118023	1A12.0B12.4-2517	114.0	C3	.25	.50
13.95	118342	1A13.2B13.6-2517	16.0	C3	.25	.50
15.75	118024	1A15.0B15.4-2517	18.0	C3	.38	.38
16.35	118343	1A15.6B16.0-2517	22.0	C3	.38	.38
18.75	118025	1A18.0B18.4-2517	27.0	C3	.18	.43

Δ P.D. for "A" Belts = O.D. - .37"
P.D. for "B" Belts = O.D. + .01"

‡ Type 1 = Block Type, 2 = Web, 3 = Arm – See page PT7-3.

** 1.16" for 1A3.0B3.4 thru 1A4.4B4.8
1.05" for 1A4.6B5.0 thru 1A5.0B5.4
1.13" for 1A15.6B16.0 thru 1A18.0B18.4

2-Groove					F = 1.75	
O.D.Δ	Part No.	Description	Wt.	Type‡	E	M
3.75	118211	2A3.0B3.4-1210	2.2	A1	.10	.65
3.95	118212	2A3.2B3.6-1210	2.6	A1	.10	.65
4.15	118306	2A3.4B3.8-1610	2.5	A1	0	.75
4.35	118307	2A3.6B4.0-1610	2.9	A1	0	.75
4.55	118215	2A3.8B4.2-1610	3.3	A1	0	.75
4.75	118216	2A4.0B4.4-1610	3.7	A1	0	.75
4.95	118217	2A4.2B4.6-1610	4.2	A1	0	.75
5.15	118218	2A4.4B4.8-1610	4.1	A1	0	.75
5.35	118219	2A4.6B5.0-1610	5.0	A1	0	.75
5.55	118220	2A4.8B5.2-1610	5.5	A1	0	.75
5.75	118221	2A5.0B5.4-1610	5.9	A1	0	.75
5.95	118222	2A5.2B5.6-1610	6.5	A1	0	.75
6.15	118223	2A5.4B5.8-1610	6.9	A1	0	.75
6.35	118224	2A5.6B6.0-1610	7.6	A1	0	.75
6.55	118225	2A5.8B6.2-1610	8.2	A1	0	.75
6.75	118226	2A6.0B6.4-1610	8.6	A1	0	.75
6.95	118227	2A6.2B6.6-1610	9.5	A1	0	.75
7.15	118228	2A6.4B6.8-1610	9.8	A1	0	.75
7.35	118344	2A6.6B7.0-2517	14.0	A1	0	0
7.75	118044	2A7.0B7.4-2517	14.0	A1	0	0
8.35	118345	2A7.6B8.0-2517	15.0	C2	0	0
8.95	118045	2A8.2B8.6-2517	15.0	C2	0	0
9.75	118046	2A9.0B9.4-2517	18.0	C2	0	0
11.35	118047	2A10.6B11.0-2517	25.0	C2	0	0
12.75	118048	2A12.0B12.4-2517	18.0	C3	0	0
13.95	118346	2A13.2B13.6-2517	24.0	C3	0	0
15.75	118049	2A15.0B15.4-2517	24.0	C3	0	0
16.35	118347	2A15.6B16.0-2517	26.0	C3	0	0
18.75	118050	2A18.0B18.4-2517	33.0	C3	0	0
20.35	114068	2B20.0-3020	31.0	C3	0	.25
25.35	114069	2B25.0-3020	41.0	C3	0	.25
30.35	114070	2B30.0-3020	52.0	C3	0	.25
38.35	114071	2B38.0-3020	71.0	C3	0	.25



SELECTION/DIMENSIONS



A/B TAPER-LOCK SHEAVES

3-Groove			F = 2.50			
O.D.Δ	Part No.	Description	Wt.	Type†	E	M
3.75	118229	3A3.0B3.4-1210	3.0	A1	0	1.50
3.95	118230	3A3.2B3.6-1210	3.5	A1	0	1.50
4.15	118308	3A3.4B3.8-1610	3.4	A1	0	1.50
4.35	118309	3A3.6B4.0-1610	4.0	A1	0	1.50
4.55	118233	3A3.8B4.2-1610	4.6	A1	0	1.50
4.75	118234	3A4.0B4.4-1610	4.9	A1	0	1.50
4.95	118235	3A4.2B4.6-1610	5.4	A1	0	1.50
5.15	118310	3A4.4B4.8-1610	5.9	A1	0	1.50
5.35	118311	3A4.6B5.0-1610	6.4	A1	0	1.50
5.55	118312	3A4.8B5.2-1610	7.0	A1	0	1.50
5.75	118313	3A5.0B5.4-2517	7.8	A1	.75	0
5.95	118314	3A5.2B5.6-2517	8.2	A1	.75	0
6.15	118315	3A5.4B5.8-2517	8.9	A1	.75	0
6.35	118316	3A5.6B6.0-2517	9.8	A1	.75	0
6.55	118317	3A5.8B6.2-2517	11.0	A1	0	.75
6.75	118318	3A6.0B6.4-2517	12.0	A1	0	.75
6.95	118319	3A6.2B6.6-2517	13.0	A1	0	.75
7.15	118320	3A6.4B6.8-2517	14.0	A1	0	.75
7.35	118348	3A6.6B7.0-2517	15.0	A1	0	.75
7.75	118069	3A7.0B7.4-2517	17.0	A1	0	.75
8.35	118349	3A7.6B8.0-2517	19.0	A1	0	.75
8.95	118070	3A8.2B8.6-2517	19.0	A1	0	.75
9.75	118071	3A9.0B9.4-2517	21.0	A2	0	.75
11.35	118072	3A10.6B11.0-2517	28.0	A2	0	.75
12.75	118073	3A12.0B12.4-2517	22.0	A3	0	.75
13.95	118350	3A13.2B13.6-2517	25.0	A3	0	.75
15.75	118074	3A15.0B15.4-2517	30.0	A3	0	.75
16.35	118351	3A15.6B16.0-2517	32.0	A3	0	.75
18.75	118075	3A18.0B18.4-2517	39.0	A3	0	.75
20.35	114072	3B20.0-3030	39.0	A3	0	.50
25.35	114073	3B25.0-3030	52.0	A3	0	.50
30.35	114074	3B30.0-3030	66.0	A3	0	.50
38.35	114033	3B38.0-3030	103.0	A3	0	.50

4-Groove			F = 3.25			
O.D.Δ	Part No.	Description	Wt.	Type†	E	M
3.75	118247	4A3.0B3.4-1210	3.7	A1	2.25	0
3.95	118248	4A3.2B3.6-1210	4.4	A1	2.25	0
4.15	118321	4A3.4B3.8-1610	4.3	A1	2.25	0
4.35	118322	4A3.6B4.0-1610	5.1	A1	2.25	0
4.55	118251	4A3.8B4.2-1610	5.5	A1	2.25	0
4.75	118252	4A4.0B4.4-1610	6.0	A1	2.25	0
4.95	118253	4A4.2B4.6-1610	6.7	A1	2.25	0
5.15	118323	4A4.4B4.8-1610	7.2	A1	2.25	0
5.35	118324	4A4.6B5.0-2517	6.7	A1	1.50	0
5.55	118325	4A4.8B5.2-2517	8.0	A1	1.50	0
5.75	118326	4A5.0B5.4-2517	8.7	A1	1.50	0
5.95	118327	4A5.2B5.6-2517	9.8	A1	1.50	0
6.15	118328	4A5.4B5.8-2517	10.0	A1	1.50	0
6.35	118329	4A5.6B6.0-2517	12.0	A1	1.50	0
6.55	118090	4A5.8B6.2-2517	13.0	A1	0	1.50
6.75	118091	4A6.0B6.4-2517	13.0	A1	0	1.50
6.95	118092	4A6.2B6.6-2517	15.0	A1	0	1.50
7.15	118093	4A6.4B6.8-2517	15.0	A1	0	1.50
7.35	118352	4A6.6B7.0-2517	16.0	A1	0	1.50
7.75	118094	4A7.0B7.4-2517	19.0	A1	0	1.50
8.35	118353	4A7.6B8.0-2517	21.0	A1	0	1.50
8.95	118095	4A8.2B8.6-2517	21.0	A1	0	1.50
9.75	118096	4A9.0B9.4-2517	24.0	A1	0	1.50
11.35	118097	4A10.6B11.0-2517	31.0	A1	0	1.50
12.75	118098	4A12.0B12.4-2517	30.0	A3	.37	1.12
13.95	118354	4A13.2B13.6-2517	34.0	A3	.37	1.12
15.75	118099	4A15.0B15.4-2517	41.0	A3	.37	1.12
16.35	118355	4A15.6B16.0-2517	32.0	A3	.37	1.12
18.75	118100	4A18.0B18.4-2517	45.0	A3	.48	1.01
20.35	114075	4B20.0-3030	47.0	A3	.50	.75
25.35	114041	4B25.0-3030	73.0	A3	0	.25
30.35	114042	4B30.0-3030	91.0	A3	0	.25
38.35	114043	4B38.0-3030	123.0	A3	0	.25

5-Groove			F = 4.00			
O.D.Δ	Part No.	Description	Wt.	Type†	E	M
3.75	118101	5A3.0B3.4-1215	4.9	A1	.87	1.62
3.95	118102	5A3.2B3.6-1215	5.4	A1	.87	1.62
4.15	118103	5A3.4B3.8-1215	5.1	A1	.87	1.62
4.35	118104	5A3.6B4.0-1215	6.1	A1	.87	1.62
4.55	118105	5A3.8B4.2-1615	6.6	A1	.87	1.62
4.75	118106	5A4.0B4.4-1615	6.9	A1	.87	1.62
4.95	118107	5A4.2B4.6-1615	8.6	A1	.87	1.62
5.15	118356	5A4.4B4.8-1615	9.4	A1	.87	1.62
5.35	118109	5A4.6B5.0-1615	9.2	A1	.87	1.62
5.55	118110	5A4.8B5.2-1615	9.9	A1	.87	1.62
5.75	118111	5A5.0B5.4-2517	11.0	A1	.81	1.43
5.95	118112	5A5.2B5.6-2517	11.0	A1	.81	1.43
6.15	118357	5A5.4B5.8-2517	13.0	A1	.81	1.43
6.35	118114	5A5.6B6.0-2517	13.0	A1	.81	1.43
6.55	118358	5A5.8B6.2-2517	14.0	A1	.81	1.43
6.75	118116	5A6.0B6.4-2517	15.0	A1	.81	1.43
6.95	118359	5A6.2B6.6-2517	16.0	A1	.81	1.43
7.15	118118	5A6.4B6.8-2517	18.0	A1	.81	1.43
7.35	118360	5A6.6B7.0-2517	18.0	A1	.75	1.50
7.75	118119	5A7.0B7.4-2517	22.0	A1	.75	1.50
8.35	118361	5A7.6B8.0-2517	23.0	A1	.50	1.75
8.95	118120	5A8.2B8.6-2517	24.0	A1	.75	1.50
9.75	118121	5A9.0B9.4-2517	26.0	A1	.75	1.50
11.35	118122	5A10.6B11.0-2517	32.0	A2	.75	1.50
12.75	118123	5A12.0B12.4-2517	35.0	A3	.75	1.50
13.95	118362	5A13.2B13.6-2517	38.0	A3	1.00	1.25
15.75	118124	5A15.0B15.4-2517	43.0	A3	.75	1.50
16.35	118363	5A15.6B16.0-2517	67.0	A3	.75	1.50
18.75	118125	5A18.0B18.4-2517	70.0	A3	.81	1.44
20.35	114050	5B20.0-3030	65.0	A3	.25	.75
25.35	114051	5B25.0-3030	84.0	A3	.25	.75
30.35	114052	5B30.0-3030	105.0	A3	.25	.63
38.35	114053	5B38.0-3030	144.0	A3	.25	.75

6-Groove			F = 4.75			
O.D.Δ	Part No.	Description	Wt.	Type†	E	M
4.55	118130	6A3.8B4.2-1615	7.9	A1	1.25	2.00
4.75	118131	6A4.0B4.4-1615	9.3	A1	1.25	2.00
4.95	118132	6A4.2B4.6-1615	9.7	A1	1.25	2.00
5.15	118364	6A4.4B4.8-1615	11.0	A1	1.25	2.00
5.35	118134	6A4.6B5.0-1615	10.0	A1	1.25	2.00
5.55	118135	6A4.8B5.2-1615	11.0	A1	1.25	2.00
5.75	118136	6A5.0B5.4-2517	12.0	A1	1.12	1.87
5.95	118137	6A5.2B5.6-2517	13.0	A1	1.12	1.87
6.15	118365	6A5.4B5.8-2517	14.0	A1	1.12	1.87
6.35	118139	6A5.6B6.0-2517	15.0	A1	1.12	1.87
6.55	118366	6A5.8B6.2-2517	16.0	A1	1.12	1.87
6.75	118141	6A6.0B6.4-2517	19.0	A1	1.12	1.87
6.95	118367	6A6.2B6.6-2517	20.0	A1	1.12	1.87
7.15	118143	6A6.4B6.8-2517	20.0	A1	1.12	1.87
7.35	118368	6A6.6B7.0-2517	21.0	A1	1.50	1.50
7.75	118144	6A7.0B7.4-2517	24.0	A1	1.12	1.87
8.35	118369	6A7.6B8.0-2517	26.0	A1	1.50	1.50
8.95	118145	6A8.2B8.6-2517	30.0	A2	1.50	1.50
9.75	118146	6A9.0B9.4-2517	30.0	A2	1.12	1.87
11.35	118147	6A10.6B11.0-2517	33.0	A2	1.12	1.87
12.75	118148	6A12.0B12.4-2517	37.0	A3	1.50	1.50
13.95	118370	6A13.2B13.6-2517	42.0	A3	1.50	1.50
15.75	118149	6A15.0B15.4-2517	47.0	A3	1.50	1.50
16.35	118371	6A15.6B16.0-2517	53.0	A3	1.50	1.50
18.75	118150	6A18.0B18.4-2517	68.0	A3	1.50	1.50
20.35	114060	6B20.0-3030	73.0	A3	.50	1.25
25.35	114061	6B25.0-3030	95.0	A3	.50	1.25
30.35	114062	6B30.0-3030	119.0	A3	.50	1.25
38.35	114063	6B38.0-3030	164.0	A3	.50	1.25

Δ P.D. for "A" Belts = O.D. - .37"

P.D. for "B" Belts = O.D. +.01"

† Type 1 = Block Type, 2 = Web, 3 = Arm - See page PT7-3.

BELTS PAGES PT7-28 - PT7-41	SELECTION: WEDGE PAGES PT7-42	SELECTION: CLASSICAL PAGES PT7-84	ENGINEERING/TECHNICAL PAGES PT7-124
--------------------------------	----------------------------------	--------------------------------------	--



SELECTION/DIMENSIONS



TORQUE-TAMER





Bushings

V-Drives

FHP

Drives Component Accessories

B TAPER-LOCK SHEAVES



8-Groove		F = 6.25				
O.D.Δ	Part No.	Description	Wt.	Type‡	E	M
5.75	114114	8B5.4-2517	15.0	A1	1.87	2.62
5.95	114115	8B5.6-2517	17.0	A1	1.87	2.62
6.35	114116	8B6.0-2517	19.0	A1	1.87	2.62
6.75	114117	8B6.4-2517	22.0	A1	1.87	2.62
7.15	114118	8B6.8-2517	26.0	A1	1.87	2.62
7.75	114119	8B7.4-2517	34.0	A1	1.87	2.62
8.95	114130	8B8.6-3030	37.0	A1	1.00	2.25
9.75	114131	8B9.4-3030	37.0	A1	1.00	2.25
11.35	114132	8B11.0-3030	46.0	A1	1.13	2.13
12.75	114133	8B12.4-3030	46.0	A2	1.00	2.25
15.75	114134	8B15.4-3030	66.0	A2	1.00	2.25
18.75	114135	8B18.4-3030	81.0	A3	1.00	2.25
20.35	114136	8B20.0-3030	87.0	A3	1.00	2.25
25.35	114137	8B25.0-3535	115.0	A3	.75	2.00
30.35	114138	8B30.0-3535	146.0	A3	.75	2.00
38.35	114139	8B38.0-4040	204.0	A3	1.12	1.12

10-Groove		F = 7.75				
O.D.Δ	Part No.	Description	Wt.	Type‡	E	M
5.75	114150	10B5.4-2517	18.0	A1	3.00	3.00
5.95	114151	10B5.6-2517	20.0	A1	3.00	3.00
6.35	114152	10B6.0-2517	22.0	A1	3.00	3.00
6.75	114153	10B6.4-2517	26.0	A1	3.00	3.00
7.15	114154	10B6.8-2517	29.0	A1	3.00	3.00
7.75	114155	10B7.4-2517	35.0	A1	3.00	3.00
8.95	114170	10B8.6-3030	43.0	A1	2.00	2.75
9.75	114171	10B9.4-3030	47.0	A1	2.00	2.75
11.35	114172	10B11.0-3030	58.0	A1	2.00	2.75

C TAPER-LOCK SHEAVES



2-Groove		F = 2.37				
O.D.Δ	Part No.	Description	Wt.	Type‡	E	M
7.4	115162	2C7.0-2517	15.0	A1	0	.62
7.9	115163	2C7.5-2517	18.0	A1	0	.62
8.4	115164	2C8.0-2517	20.0	A1	0	.62
8.9	115165	2C8.5-2517	22.0	A1	0	.62
9.4	115166	2C9.0-2517	21.0	A1	0	.62
9.9	115186	2C9.5-2517	24.0	A1	0	.62
10.4	115171	2C10.0-2517	25.0	A2	0	.62
10.9	115187	2C10.5-2517	26.0	A2	0	.62
11.4	115174	2C11.0-2517	27.0	A2	0	.62
12.4	115175	2C12.0-2517	28.0	A2	0	.62
13.4	115176	2C13.0-2517	33.0	A3	0	.62
14.4	115177	2C14.0-2517	35.0	A3	0	.62
16.4	115178	2C16.0-2517	38.0	A3	0	.62
18.4	115325	2C18.0-3020	42.0	A3	0	.37
20.4	115326	2C20.0-3020	44.0	A3	0	.37
24.4	115327	2C24.0-3020	56.0	A3	0	.37
30.4	115000	2C30.0-3535	85.0	C3	.50	.63

3-Groove		F = 3.37				
O.D.Δ	Part No.	Description	Wt.	Type‡	E	M
7.4	115130	3C7.0-2517	18.0	A1	.25	1.37
7.9	115131	3C7.5-2517	19.0	A1	.25	1.37
8.4	115132	3C8.0-2517	21.0	A1	0	1.62
8.9	115133	3C8.5-2517	23.0	A1	.25	1.37
9.4	115001	3C9.0-2517	24.0	A1	.25	1.37
9.9	115188	3C9.5-2517	25.0	A1	.25	1.37
10.4	115016	3C10.0-2517	27.0	A1	.25	1.37
10.9	115189	3C10.5-2517	28.0	A1	.25	1.37
11.4	115006	3C11.0-2517	29.0	A1	.25	1.37
12.4	115328	3C12.0-3020	44.0	A2	0	1.37
13.4	115329	3C13.0-3020	49.0	A3	0	1.37
14.4	115330	3C14.0-3020	50.0	A3	0	1.37
16.4	115331	3C16.0-3020	64.0	A3	.06	1.31
18.4	115014	3C18.0-3030	72.0	A3	0	.37
20.4	115009	3C20.0-3030	79.0	A3	0	.37
24.4	115010	3C24.0-3030	90.0	A3	0	.37
30.4	115011	3C30.0-3535	135.0	C3	0	.12
36.4	115012	3C36.0-3535	175.0	C3	0	.12

Δ P.D. for "B" Belts = O.D. + .01"

P.D. for "C" Belts = O.D.

‡ Type 1 = Block Type, 2 = Web, 3 = Arm - See page PT7-3.

BELTS PAGES PT7-28	SELECTION: WEDGE PAGES PT7-42	SELECTION: CLASSICAL PAGES PT7-84	ENGINEERING/TECHNICAL PAGES PT7-124
-----------------------	----------------------------------	--------------------------------------	--



SELECTION/DIMENSIONS



C TAPER-LOCK SHEAVES

4-Groove F = 4.37						
O.D.Δ	Part No.	Description	Wt.	Type‡	E	M
7.4	115135	4C7.0-2517	20.0	A1	1.12	1.50
7.9	115136	4C7.5-2517	21.0	A1	1.13	1.50
8.4	115137	4C8.0-2517	24.0	A1	.50	2.13
8.9	115138	4C8.5-2517	25.0	A1	.50	2.13
9.4	115017	4C9.0-2517	26.0	A1	.50	2.13
9.9	115190	4C9.5-2517	29.0	A1	.50	2.13
10.4	115032	4C10.0-2517	31.0	A1	.50	2.13
10.9	115191	4C10.5-2517	32.0	A1	.50	2.13
11.4	115022	4C11.0-2517	34.0	A1	.50	2.13
12.4	115151	4C12.0-3030	52.0	A2	0	1.37
13.4	115023	4C13.0-3030	56.0	A3	0	1.37
14.4	115155	4C14.0-3030	63.0	A3	0	1.37
16.4	115024	4C16.0-3030	71.0	A3	0	1.37
18.4	115030	4C18.0-3030	81.0	A3	.18	1.18
20.4	115025	4C20.0-3030	80.0	A3	0	1.37
24.4	115026	4C24.0-3030	98.0	A3	0	1.37
30.4	115027	4C30.0-3535	130.0	A3	.31	.56
36.4	115028	4C36.0-3535	165.0	A3	0	.87
44.4	115029	4C44.0-4040	240.0	A3	0	.37

6-Groove F = 6.37						
O.D.Δ	Part No.	Description	Wt.	Type‡	E	M
7.4	115145	6C7.0-3030	33.0	A1	1.00	2.37
7.9	115146	6C7.5-3030	38.0	A1	1.00	2.37
8.4	115147	6C8.0-3030	43.0	A1	1.00	2.37
8.9	115148	6C8.5-3030	49.0	A1	1.00	2.37
9.4	115049	6C9.0-3030	54.0	A1	1.00	2.37
9.9	115194	6C9.5-3030	57.0	A1	1.00	2.37
10.4	115064	6C10.0-3030	61.0	A1	1.00	2.37
10.9	115195	6C10.5-3030	56.0	A1	1.00	2.37
11.4	115054	6C11.0-3030	58.0	A1	1.00	2.37
12.4	115153	6C12.0-3030	66.0	A1	1.00	2.37
13.4	115055	6C13.0-3030	69.0	A2	1.00	2.37
14.4	115157	6C14.0-3535	85.0	A2	.50	2.37
16.4	115056	6C16.0-3535	100.0	A3	.50	2.37
18.4	115062	6C18.0-3535	115.0	A3	.75	2.12
20.4	115057	6C20.0-3535	103.0	A3	.87	2.00
24.4	115058	6C24.0-3535	129.0	A3	.87	2.00
30.4	115059	6C30.0-4040	195.0	A3	1.00	1.37
36.4	115060	6C36.0-4040	243.0	A3	1.00	1.37
44.4	115061	6C44.0-4040	315.0	A3	1.00	1.37

10-Groove F = 10.37						
O.D.Δ	Part No.	Description	Wt.	Type‡	E	M
9.4	115351	10C9.0-4545	84.0	A1	1.50	4.37
9.9	115352	10C9.5-4545	101.0	A1	1.50	4.37
10.4	115353	10C10.0-4545	104.0	A1	1.50	4.37
10.9	115354	10C10.5-4545	108.0	A1	1.50	4.37
11.4	115355	10C11.0-4545	128.0	A1	1.50	4.37
12.4	115356	10C12.0-4545	148.0	A1	1.50	4.37
13.4	115349	10C13.0-4545	168.0	A1	2.00	3.87
14.4	115357	10C14.0-4545	205.0	A1	2.00	3.87
16.4	115358	10C16.0-4545	237.0	A1	2.00	3.87
18.4	115359	10C18.0-4545	270.0	A3	2.00	3.87
20.4	115360	10C20.0-4545	176.0	A3	2.00	3.87
24.4	115361	10C24.0-5050	242.0	A3	1.50	3.87
30.4	115123	10C30.0-4545	303.0	A3	2.00	3.87
36.4	115124	10C36.0-4545	375.0	A3	2.00	3.87
44.4	115125	10C44.0-4545	484.0	A3	2.00	3.87

5-Groove F = 5.37						
O.D.Δ	Part No.	Description	Wt.	Type‡	E	M
7.4	115140	5C7.0-2517	23.0	A1	1.50	2.12
7.9	115141	5C7.5-2517	25.0	A1	1.50	2.12
8.4	115142	5C8.0-2517	30.0	A1	1.50	2.12
8.9	115143	5C8.5-2517	32.0	A1	1.50	2.12
9.4	115033	5C9.0-2517	35.0	A1	1.50	2.12
9.9	115192	5C9.5-2517	36.0	A1	1.50	2.12
10.4	115048	5C10.0-2517	39.0	A1	1.50	2.12
10.9	115193	5C10.5-2517	42.0	A1	1.50	2.12
11.4	115038	5C11.0-2517	43.0	A1	1.50	2.12
12.4	115152	5C12.0-3030	58.0	A1	.69	1.69
13.4	115039	5C13.0-3030	63.0	A2	.50	1.87
14.4	115156	5C14.0-3030	65.0	A2	.50	1.87
16.4	115040	5C16.0-3030	86.0	A3	.50	1.87
18.4	115036	5C18.0-3030	105.0	A3	.69	1.69
20.4	115041	5C20.0-3535	91.0	A3	0	1.87
24.4	115042	5C24.0-3535	114.0	A3	.37	1.50
30.4	115043	5C30.0-3535	152.0	A3	.38	1.50
36.4	115044	5C36.0-4040	216.0	A3	.25	1.12
44.4	115045	5C44.0-4040	278.0	A3	.25	1.12

8-Groove F = 8.37						
O.D.Δ	Part No.	Description	Wt.	Type‡	E	M
8.4	115160	8C8.0-3030	59.0	A1	2.00	3.37
8.9	115161	8C8.5-3030	62.0	A1	2.00	3.37
9.4	115081	8C9.0-3535	64.0	A1	1.50	3.37
9.9	115196	8C9.5-3535	73.0	A1	1.50	3.37
10.4	115096	8C10.0-3535	81.0	A1	1.50	3.37
10.9	115197	8C10.5-3535	85.0	A1	1.50	3.37
11.4	115086	8C11.0-3535	87.0	A1	1.50	3.37
12.4	115185	8C12.0-3535	90.0	A1	1.50	3.37
13.4	115087	8C13.0-3535	97.0	A1	1.50	3.37
14.4	115097	8C14.0-3535	105.0	A1	1.50	3.37
16.4	115088	8C16.0-3535	125.0	A3	1.50	3.37
18.4	115098	8C18.0-4040	155.0	A3	1.50	2.87
20.4	115089	8C20.0-4040	151.0	A3	1.50	2.87
24.4	115090	8C24.0-4040	183.0	A3	1.50	2.87
30.4	115091	8C30.0-4040	237.0	A3	1.50	2.87
36.4	115092	8C36.0-4545	322.0	A3	1.25	2.62
44.4	115093	8C44.0-4545	411.0	A3	1.25	2.62

12-Groove F = 12.37						
O.D.Δ	Part No.	Description	Wt.	Type‡	E	M
9.4	115065	12C9.0-4040	87.0	A1	3.50	4.87
9.9	115066	12C9.5-4040	90.0	A1	3.50	4.87
10.4	115067	12C10.0-4040	95.0	A1	3.50	4.87
10.9	115068	12C10.5-4040	104.0	A1	3.50	4.87
11.4	115069	12C11.0-4040	125.0	A1	3.50	4.87
12.4	115070	12C12.0-4040	140.0	A1	3.50	4.87
13.4	115071	12C13.0-4545	173.0	A1	3.00	4.87
14.4	115072	12C14.0-4545	177.0	A1	3.00	4.87

Δ P.D. for "C" Belts = O.D.

‡ Type 1 = Block Type, 2 = Web, 3 = Arm - See page PT7-3.

BELTS PAGES PT7-28 - PT7-41	SELECTION: WEDGE PAGES PT7-42	SELECTION: CLASSICAL PAGES PT7-84	ENGINEERING/TECHNICAL PAGES PT7-124
--------------------------------	----------------------------------	--------------------------------------	--

TORQUE-TAMER

Bushings

V-Drives

FHP

Drives Component Accessories